



TEXTURE SPRAYERS

GRACO'S COMPLETE LINE OF PROFESSIONAL TEXTURE SPRAYERS

AUSTRALIA & NEW ZEALAND



PROVEN QUALITY. LEADING TECHNOLOGY.

THE MOST COMPLETE AND HIGHEST PERFORMING TEXTURE SPRAYER LINE

Experienced contractors know the difference. Graco professional texture sprayers are recognised as solid investments that perform reliably, year after year. Regardless of your texture application —decorative or smooth finishes, exterior or interior—Graco has a complete solution for you.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality texture airless sprayers available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco professional texture sprayers are designed, manufactured and assembled in the USA with global components.

INDUSTRY-LEADING WARRANTY

Behind every Graco is Graco's warranty. You may never use Graco's warranty—but if you do, we will be there.



GRACO SOLUTIONS THAT WILL KEEP YOU SPRAYING



PATENT PENDING

DURABLE PUMPS BUILT

- Long Vortex™ rotating piston rod
- 6X more litres sprayed between repacks
- Extends pump rod life by 3X —delivering low cost of ownership



PATENT PENDING

STREAMLINE YOUR BUSINESS WITH BLUELINK™ SYSTEM

- Track every sprayer — exact location and hourly productivity
- Know job progress — ensure you're on time with needed materials
- Maximise uptime—set maintenance schedules, alerts and jobsite notes

MAXFlo™ 2

PATENT PENDING

TRUE PROTECTION

- Self-cleaning Vibra-Seal™ Technology provides more productivity
- Optimised fluid passageways for the heaviest coatings



PATENTED

THE EASIEST MAINTENANCE

- ProConnect™ 2 — swap your pump in minutes with no tools
- Eliminates costly jobsite downtime
- QuikPak™ — repack your pump in minutes



RotoFlex™

GRACO EXCLUSIVE

INNOVATIVE ONE-PIECE PUMP

- Flow-through design delivers smooth material flow
- Unmatched durability and lowest cost of ownership
- Exclusive FlexChange™ no-tools pump replacement system



GRACO EXCLUSIVE

SMARTSTART™ SYSTEM

- Automatically start and stop the pump and compressor
- Soft-start eliminates material blasts to ensure a quality finish
- Reduces noise and vibration while extending pump and compressor life

WideTex™

PATENT PENDING

WIDETEX™

- Delivers wide fan-spray pattern to finish faster
- Delivers the most consistent pattern
- Eliminates fatigue associated with circular gun movement

PressureBoost™

GRACO EXCLUSIVE





PRESSURE BOOST TECHNOLOGY

- Exclusive pressurised hopper gun design
- 6X faster than traditional hopper guns
- The power of a large spray rig in the palm of your hand

GET THE INTERIOR AND EXTERIOR FINISH YOU WANT






With the widest selection of texture sprayers to choose from and a host of performance enhancing accessories, there is a Graco texture sprayer to help you complete your projects—no matter what finish you desire.

INTERIOR TEXTURE

				
COMMONLY USED MATERIALS	Ceiling Spray Textures Containing Polystyrene or Vermiculite Aggregate (Fine, Medium, Coarse)	All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures	All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures	All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures
SPRAYER RECOMMENDATIONS	Gravity-Fed Hopper Gun FastFinish™ Hopper Gun GTX 2000 ^{EX} HTX™ 2030 T-MAX 6912 APX 8200	Gravity-Fed Hopper Gun FastFinish Hopper Gun GTX 2000 ^{EX} T-MAX 6912™ Mark V™ HD GMAX® II 5900 HD* GMAX II 7900 HD* HTX 2030 DutyMax GH 230 HD* DutyMax GH 300 HD* APX 8200	Gravity-Fed Hopper Gun FastFinish Hopper Gun GTX 2000 ^{EX} T-MAX 6912™ Mark V™ HD GMAX II 5900 HD* GMAX II 7900 HD* HTX 2030 DutyMax GH 230 HD* DutyMax GH 300 HD* APX 8200	Gravity-Fed Hopper Gun FastFinish Hopper Gun GTX 2000 ^{EX} T-MAX 6912™ Mark V™ HD GMAX II 5900 HD* GMAX II 7900 HD* HTX 2030 DutyMax GH 230 HD* DutyMax GH 300 HD* APX 8200
TEXTURE ACCESSORIES	WIDETEX KIT – 24S142 (RTX 1500, GTX 2000 ^{EX}) SIPHON KIT – 248112 (GTX 2000 ^{EX}) AIR LINE KIT – 248117 (GTX 2000 ^{EX})	WIDETEX KIT – 24S142 (RTX 1500, GTX 2000 ^{EX}) SIPHON KIT – 248112 (GTX 2000 ^{EX}) AIR LINE KIT – 248117 (GTX 2000 ^{EX}) AIR ATOMISER KIT – 244223 (All Mark HD, GMAX II HD, DutyMax HD) 95 L. HOPPER – 287987 (All Mark HD, Gmax II HD, DutyMax HD, HTX 2030) 200 L. SIPHON SET – 289669 (Mark X HD, Gmax II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD)	WIDETEX KIT – 24S142 (RTX 1500, GTX 2000 ^{EX}) SIPHON KIT – 248112 (GTX 2000 ^{EX}) AIR LINE KIT – 248117 (GTX 2000 ^{EX}) AIR ATOMISER KIT – 244223 (All Mark HD, GMAX II HD, DutyMax HD) 95 L. HOPPER – 287987 (All Mark HD, Gmax II HD, DutyMax HD, HTX 2030) 200 L. SIPHON SET – 289669 (Mark X HD, Gmax II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD)	AIR ATOMISER KIT – 244223 (All Mark HD, GMAX II HD, DutyMax HD) 95 L. HOPPER – 287987 (All Mark HD, Gmax II HD, DutyMax HD, HTX 2030) 200 L. SIPHON SET – 289669 (Mark X HD, Gmax II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD)



EXTERIOR TEXTURE

 <p>SMOOTH</p>	 <p>SMOOTH, LEVEL 5, AND SKIM COAT</p>	 <p>TEXTURED ACRYLICS AND ELASTOMERICS</p>	 <p>EIFS AND SYNTHETIC STUCCO FINISH COATS</p>	 <p>DECK COATINGS</p>
<p>Joint Compounds Joint Compounds Spray Textures</p>	<p>All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures Skim Coat Materials Wall Surfacing Materials</p>	<p>Textured Acrylic Materials Textured Elastomeric Materials</p>	<p>Textured Acrylic Materials Used as the Final Coat in a Multilayered Wall System</p>	<p>Decorative and Anti-skid Deck Coatings</p>
<p>Hopper Gun Hopper Gun 2000Ex T-MAX 6912" V* HD 200 HD* 200 HD* X 2030 30 HD* 200 HD* X 8200</p>	<p>Mark V* HD GMAX II 5900 HD GMAX II 7900 HD HTX 2030 DutyMax GH 230 HD* DutyMax GH 300 HD* T-MAX 6912" APX 8200</p>	<p>Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 5500P_X Use with aggregates up to 3 mm GTX 2000EX Use with aggregates up to 2 mm HTX 2030 Use with aggregates up to 2.0 mm T-MAX 6912" Use with aggregates up to 2.0 mm</p>	<p>Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 5500P_X Use with aggregates up to 3 mm GTX 2000EX Use with aggregates up to 2 mm HTX 2030 Use with aggregates up to 2.0 mm T-MAX 6912" Use with aggregates up to 2.0 mm</p>	<p>Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 5500P_X Use with aggregates up to 3 mm T-MAX 6912" Use with aggregates up to 2.0 mm</p>
<p>Kit – 244223 (D, DutyMax HD)) 87987 (DutyMax HD, HTX 2030) Kit – 289669 (200 HD, DutyMax GH 230)</p>	<p>45 L. HOPPER – 287987 (All Mark HD, Gmax II HD, DutyMax HD, HTX 2030) 200 L. SIPHON SET – 289669 (Mark X HD, Gmax II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD) HIGH PRESSURE PUMP KIT – 24B140 (HTX 2030)</p>	<p>HARDENED WIDETEX KIT – 24S143 (RTX 1500, GTX 2000ex) EXTERNAL AIR KIT – 287328 (RTX 5500ex)</p>	<p>HARDENED WIDETEX KIT – 24S143 (RTX 1500, GTX 2000ex) EXTERNAL AIR KIT – 287328 (RTX 5500ex)</p>	<p>HARDENED WIDETEX KIT – 24S143 (RTX 1500, GTX 2000ex) EXTERNAL AIR KIT – 287328 (RTX 5500ex)</p>

*User-supplied air compressor and Air Atomiser Kit (Part # 244223) required for this application.

** Requires user supplied air compressor. Minimum 20 SCFM recommended

FINISH SMALL TEXTURE JOBS UP TO 6X FASTER

THE POWER OF A LARGE SPRAY RIG IN THE PALM OF YOUR HAND

Innovative system uses air to boost performance and deliver a superior spray finish.

HOLD 20 LBS OVER YOUR HEAD FOR ONE HOUR — OR JUST 10 MINUTES?



Gravity-Fed
Hopper Gun

1 HOUR

VS



FastFinish Texture
Spray System

10 MIN

**UP TO
6X
FASTER!**



HOW IT WORKS

- 1) Air enters gun
- 2) Adjustable Flow Control sends air to hopper
- 3) Air pushes down on material
- 4) Pressurised material and air mix, creating a texture finish

TEXSPRAY FASTFINISH SPRAY SYSTEM

Small and portable, FastFinish maximises material and air flow—making it the ideal solution for smaller texture jobs.

TEXSPRAY FASTFINISH PRO TEXTURE SPRAY SYSTEM INCLUDES:



FASTFINISH CF9 AIR COMPRESSOR

Powerful 9 cfm @ 40 psi
(Maximum pressure 60 psi)

- Better atomization and projection

Heavy-Duty 2 HP AC Motor

- 230V, 10 amp

Piston-Powered Tankless Design

- 4X larger passageways deliver 30% more airflow
- Always ready to spray: no draining or maintenance

Light and Portable Cart Design

- One-person loading



FASTFINISH PRESSURE-BOOSTED HOPPER GUN

4mm, 6mm, 8mm Nozzles

WideTex Fan Spray Kit

Sealed Hopper to keep material fresh

- Spray overhead and in tight spaces without spills

9.5 MM X 15 M PREMIUM NON-MARKING AIR HOSE

SPRAYS ALL FINISHES

- Acoustics
- Joint compound
- Knockdown
- Splatter
- Orange peel
- Fine concrete overlays
- Deck coatings
- Fireproofing
- Waterproofing
- Deck coatings
- Much more



TEXSPRAY FASTFINISH	PART #	INCLUDES
FastFinish Pro Texture Spray System	25D493	FastFinish Pressure-Boosted Gun, CF9 Compressor, 3/8 in x 15 m Air Hose
FastFinish Standard Texture Spray System	25D495	G-TEX Gravity-Feed Gun, CF9 Compressor, 3/8 in x 15 m Air Hose
FastFinish CF9 Air Compressor	25D491	CF9 Air Compressor Only
FastFinish Pressure-Boosted Hopper Gun	25D496	FastFinish Pressure-Boosted Gun, 5.5 L Hopper, 3 Nozzles, WideTex
G-TEX Gravity-Feed Hopper Gun	25D497	G-TEX Gravity-Feed Gun, 7.5 L Hopper, 3 Nozzles

TEXSPRAY GTX 2000

HIGH-PERFORMANCE SOLUTIONS FOR HEAVY-DUTY JOBS

A highly portable texture system for both smooth materials and those with fine aggregates, the GTX 2000EX is the ideal solution for drywall muds, deck coatings, and exterior aggregate acrylic and elastomeric finishes.

High-Performance Solutions for Heavy-Duty Jobs. Powered by your external air compressor, this air-powered texture solution gets the job done fast — whether coating a large interior surface or applying an exterior aggregate finish on a large commercial job.



HUSKY 1040 DOUBLE DIAPHRAGM PUMP

- Jobsite Proven Performance
- Texture delivery rates to 15 lpm from durable, high-output 1-inch pump
- Durable, User-Friendly Spraying

AIR SPRAY HEAVY-DUTY TRIGGER GUN

- Durable, User-Friendly Spraying
- Pump heavy mud mixes and larger aggregate with oversized fluid passages
- Quick nozzle changes with extra-coarse gun head threads

LARGEST 64 LITRE CAPACITY HOPPER

- Longer Spray Time
- Easy cleanup and removal with no-tool

SEPARATE PUMP/GUN AIR CONTROLS

- Complete Control
- Produce precise, consistent and repeatable texture finishes

TEXSPRAY GTX 2000	PART #
TexSpray GTX 2000	257030

RTX PRO EXTERIOR SERIES

TACKLE EXTERIOR JOBS OF ALL SIZES

Ideal for large residential and commercial contractors needing a compact yet powerful texture sprayer capable of handling a wide variety of materials, such as acrylic renders, deck coatings, and more.



RTX PRO EXTERIOR SERIES SPRAYERS INCLUDE:

- RotoFlex Pump
- FlexChange Pump Section

TRIGGER-ACTIVATED POWER

SmartStart System

- Automatically start and stop the pump and compressor
- Soft-start eliminates material blasts to ensure a quality finish
- Reduces noise and vibration while extending pump and compressor life

MORE AIR FOR DEMANDING FINISHES

Twin-Cylinder Air Compressor

- High-output, maintenance-free design runs at lower RPM for longest life

TOTAL SPRAY CONTROL

Heavy-Duty Aluminium Trigger Gun

- Select prime mode at the gun with Integrated Prime Selector
- Spray more material longer with durable aluminium design and oversized passages

IMPROVED HANDLING AND FLEXIBILITY

Heavy-Duty Material/Air Hose

- Both hoses are permanently bonded together for easy handling

240 V POWER OPTION

TexSpray RTX 5500Px

- Connects to standard 220-240 V L6-30 receptacles (3 wire) on most distribution boxes or generators

INCREASE PRODUCTIVITY BY OVER 20%

WideTex with Hardened Tips and Adapter

- Spray uniform, repeatable patterns with less material and pressure adjustment
- 2X harder than Standard WideTex tips!

External Air Input

- Allows external air to be used for demanding finishes



TEXSPRAY RTX PRO EXTERIOR SERIES	PART #
TexSpray RTX 5500Px	17K680

HTX 2030 GAS MECHANICAL TEXTURE SPRAYER

SPRAY THE MOST DEMANDING MATERIALS

The HTX 2030 is specifically engineered to spray nearly everything — from exterior smooth and aggregate coatings, elastomers, acrylic coatings, drywall joint finishes, as well as paints and primers, with the available high-pressure MaxLife® Endurance™ Pump.



TIME-SAVING PRODUCTION RATES

High-Output Texture Pump

- Pump aggregated materials up to 2.0 mm with extra large passages
- More uptime with no-tools hose connections at pump and gun
- Consistent, optimal performance with innovative foot valve soft seal



FULL-RANGE FLOW CONTROL

PowerFlo™ Control System

- Remotely stops and starts material flow right at the pump
- Smooth, controlled material flow prevents material separation
- Soft start eliminates material blast to ensure finish quality

REDUCED MATERIAL SEPARATION

StraightThru™ Fluid Path

- Easily spray more demanding and aggressive aggregate materials

APPLICATORS FOR EVERY JOB

FreeFlo™ Inline Gun

- Maximum flow from oversized, unobstructed fluid passages

STX Trigger Gun Applicator

- Virtually eliminates material separation, while providing a soft-start when trigger is pulled
- Automatically turns on/off pump with trigger for easier operation
- Ideal for spraying EIFS and acrylic render finish coats
- Consistent material coverage in either a round pattern or wide fan pattern



90 cm Pole Gun

- Extended reach to minimise repositioning of lifts and ladders
- Spray in a wide fan pattern

FlexHead™ Pole Gun

- Greater control in tight areas — on scaffolding and around architectural detail
- Spray in a wide fan pattern

TEXTURE APPLICATIONS

Interior and exterior texture finishes with aggregate size up to 2.0 mm



TexSpray HTX 2030 Basecoat Sprayer Complete

TEXSPRAY HTX	PART #
TexSpray HTX 2030	257369

AIRLESS WALL FINISHING PLASTER SPRAY EQUIPMENT

Dedicated for plaster wall smoothing and finishing, the TexSpray APX plaster sprayer is built for the true professional. This sprayer pumps the heaviest materials with optimal output and without pressure fluctuations. The all-in-one design is also easy to move around any jobsite.



APX 8200

The higher performance provides a better, more consistent spray fan in large tip sizes, offering more flow and less time knifing down material. Stop losing time mixing or thinning your plaster before spraying. No more issues with cavitation and losing prime due to heavy materials.

APX	PART #
APX 8200	17N354

ALL IN ONE

Its compact, all-in-one design includes the hopper. Plug in, fill the hopper and you're ready to go!

MORE PERFORMANCE

A better, more consistent spray fan in large tip sizes, offering more flow and less time knifing down material

IN ALL MATERIALS

Stop losing time mixing or thinning your plaster before spraying. No more issues with cavitation and losing prime due to heavy materials.

SMART CONTROL 3.0

- Delivers consistent spray fan without pressure fluctuation
- Extra-large LED readout displays pressure, litres, hours and more
- Easy 1 knob control

WELDED STEEL CART

- Front swivel wheel
- 3-wheel design with locking
- Easy, one-man transport and storage
- Integrated tool tray and lift handles

ENDURANCE™ AIRLESS PISTON PUMP WITH PROCONNECT™ 2

- Proven to have longest life in the industry
- Available in complete hard chrome or complete MaxLife™, depending on your materials



TEXSPRAY T-MAX™ 6912

THE NEXT LEVEL IN POWER AND VERSATILITY

The Graco T-MAX 6912 provides the versatility and performance to spray almost all interior and exterior texture applications — whether you're spraying smooth compounds for interior skim coats and decorative finishes or aggregate-based materials for exterior jobs.



SUPERIOR VERSATILITY FOR TEXTURE APPLICATIONS AND MATERIALS

- Airless: Easily apply skim coats without a compressor
- Air-Assisted: Spray decorative finishes and heavy aggregates up to 2 mm with your external air compressor



ULTIMATE POWER AND CAPABILITY TO HANDLE MOST TEXTURE APPLICATIONS

- 1000 psi and 3.2 gpm from the industry-proven T-MAX Pump

EASY-TO-USE AND MORE FORGIVING FOR THE BEST FINISH

- Precision pressure and flow control
- Innovative STX™ Gun provides soft-start operation that eliminates material bursts

EVEN MATERIAL FLOW AND LESS MATERIAL SEPARATION

- Oversized passages for maximum productivity

EASY TRANSPORT

- Modular frame provides easy, no-tools connect and disconnect
- Wheeled pump and hopper modules allow for easy, independent transport or storage

SIMPLE JOBSITE OPERATION

- Plug-in anywhere with 230V capability
- Keep sprayer in-place with long, extended hose lengths

FAST, EASY CLEANUP AND PUMP MAINTENANCE

- Access pump internals in seconds without tools — even with a full hopper



TEXSPRAY T-MAX 6912	PART #
TexSpray T-MAX 6912 - Kit, Applicator	17X987
TexSpray T-MAX 6912 - STX Gun, Hose Kit, Manifold	17X994
TexSpray T-MAX 6912 - STX Gun, Applicator, Hose Kit, Manifold	17Z289

EXCLUSIVE FEATURES TO KEEP YOU SPRAYING



230V MAXPOWER™ DC MOTOR

- Use with standard 15/20 amp circuits
- No-maintenance, brushless design keeps debris out
- Lifetime Guaranteed

HEAVY-DUTY MODULAR FRAME

- Steel construction withstands jobsite abuse
- Easy, no-tools connect and disconnect
- Small, compact and balanced design for easy maneuvering



OVERSIZED HOPPER WITH LID

- 200 L for less refilling
- Steep-sided design keeps material flowing

SMARTCONTROL™ 3.0

- Delivers smooth, consistent material flow
- Provides Airless or Flow mode
- LED Display shows pressure, litres, and more

QUICK-ACCESS PISTON PUMP

- Access any part of the pump in seconds — without tools
- Even with a full hopper of material



SMALL, COMPACT, AND MANEUVERABLE

- Balanced design for easy rolling — even when full
- Locking front swivel caster wheel

HOSES AND APPLICATORS

- Flexible hose sets available in various lengths
- Choose between airless Inline Lance or air-assisted STX applicator, both featuring 360° live swivel for effortless spraying.
- Pole applicators available for extended reach

INDUSTRY-PROVEN T-MAX PUMP

(PATENT PENDING)


- Proven design delivers long life with minimal maintenance
- Oversized passages ensure minimal pressure drop
- Long-life thick chrome rod and sleeve construction



INNOVATIVE STX GUN

(PATENT PENDING)

- Automatic sequential shut-off stops pump first, then air and material, for less
- Forgiving soft start operation eliminates material bursts to deliver smooth finishes
- Perfect for decorative finishes with smooth or aggregate materials up to 2 mm



INTRODUCING HD 3-IN-1 AIRLESS SPRAYERS

PAINT, HEAVY COATINGS & TEXTURE

Selecting the right spray equipment is critical to your business. You need a sprayer that can tackle your current jobs, but also one that gives you room to grow by expanding your capabilities. With an HD sprayer, you'll have the confidence that you'll always have the right sprayer – no matter the job!

ONE SPRAYER, MANY APPLICATIONS

- 1 PAINT:** sprays the full range of paints and primers
- 2 HEAVY COATINGS:** fireproofing, waterproofing, vapour-barrier and more
- 3 TEXTURE:** Level 5, Skim Coat, Orange Peel*, Splatter* and Knock-Down* (* with air atomiser kit)

NO FILTER
TEXTURE GUN
with 4X more flow area
than standard spray guns

DIRECT-
IMMERSION
PUMP
puts the pump inlet
right in the material,
eliminating the
suction tube

OVERSIZED HOSE
for easier pumping with
2X more flow area

OVERSIZED
MAXFLO 2 INLET
offers 4X more
flow than typical
pumps, and
resistance



HD 3-IN-1 SPRAYERS FOR EVERY JOBSITE

Graco offers three separate families of 3-in-1 sprayers to provide power and size options to handle every jobsite condition so you can get the job done right, every time.

MARK HD

Electric-Powered



GMAX II HD

Gas-Powered, Mechanical




DUTYMAX HD

Gas / Electric Convertible Hydraulic



CHOOSE THE RIGHT SERIES OF HD 3-IN-1 AIRLESS SPRAYER FOR YOUR BUSINESS



EVERYDAY RELIABILITY - SMALL RESIDENTIAL AND LIGHT COMMERCIAL CONTRACTOR

- Spraying multiple days a week
- Typically with jobs on the smaller side
- Demanding everyday reliability
- Don't need a lot of extra features



WORK SMARTER, FINISH MORE JOBS - LARGE RESIDENTIAL AND COMMERCIAL CONTRACTOR

- Spraying every day
- Tackling medium-to-large projects
- Moving frequently from job to job
- Requiring features that save you time and get you to the next job site faster



BEYOND JOBSITE TOUGH - LARGE COMMERCIAL AND INDUSTRIAL CONTRACTOR

- Spraying continuously in less-than-ideal conditions
- Handling large, long-duration projects requiring large material volumes
- Keeping your equipment on-site in material
- Requiring extreme durability and reliability

BREAK THROUGH ENDURANCE VORTEX MAXLIFE AND MAXLIFE EXTREME™ TECHNOLOGY

PATENT PENDING

THE LONGEST LASTING PUMPS EVER BUILT



Endurance
Chromex™ Pump
Lasts 2X longer



Endurance Vortex
MaxLife Pump
6X longer between
repacks



Endurance Vortex
MaxLife Extreme Pump
Extends pump rod life by 3X—
delivering the low
cost of ownership



SPRAYS THE WIDEST RANGE OF COATINGS

- Oversized clearances for maximum performance
- Maximum flow with heavy materials

EASIEST SERVICE IN THE INDUSTRY

- QuikPak Cartridge System
- Repack the entire pump in less than 2 minutes
- ProConnect 2 Pump Replacement
- Pre-assembled modular replacement
- QuikAccess™ Intake Foot Valve
- Clear debris faster with easy inlet ball access

MAXFLO 2 WITH PROTECTION

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Protection for more productivity
- Optimised fluid passageways for the heaviest coatings



THE BEST JUST GOT BETTER

VORTEX ROTATING PISTON TECHNOLOGY

KEEPS YOU SPRAYING



PATENT PENDING

VORTEX TECHNOLOGY

Rotating rod for extended life

360° WEAR SURFACE

Delivers the longest pump life

HELICAL DESIGN

Delivers high-velocity flow to rotate pump rod as you spray

PATENT PENDING

Built with Graco exclusive EXTREME ROD that is an abrasion-resistant composite to deliver the most durable, hardest wear surface possible


6X more litres sprayed between repacks — Extreme Composite extends pump rod life by 3X, delivering the lowest cost of ownership



ENDURANCE™ VORTEX™

MAXLIFE™ EXTREME™

PATENT PENDING



OLD WAY



VS



NEW WAY

Modular pre-oiled cartridge packings install correctly every time

QUIKPAK CARTRIDGE REPAIR SYSTEM

PATENT PENDING

REPACK YOUR PUMP IN MINUTES



1) Insert pre-oiled packing cartridge assembly



2) Remove disposable clip



3) Assemble pump

STAY IN CONTROL WITH BLUELINK

BlueLink connects the people and equipment that drive your business in a completely new way. Whether on the jobsite, at the office, or anywhere in between, BlueLink provides the critical information you need every day — including real-time jobsite access, instant maintenance alerts, on-demand productivity reports and much more!



PATENT PENDING

HOW IT WORKS:



1

DATA IS STORED ON YOUR SPRAYER




2

AUTOMATICALLY UPDATES EACH TIME YOUR EMPLOYEES ARE NEAR THE SPRAYER



3

EXPERIENCE THE PROFIT DRIVING RESULTS THROUGH BETTER JOB MANAGEMENT




Compare bid accuracy—know productivity facts from anywhere!

Manage your crew and their supplies

KNOW JOB PROGRESS

Monitor hourly productivity to ensure job is on-time with the needed materials

SOUTHEAST AUSTIN



Make fewer trips to jobsites

LOCATE EVERY SPRAYER

Know exact locations of your sprayers and hourly productivity




MAXIMISE UPTIME

Monitor preventative maintenance schedules and receive alerts

Access to complete historical maintenance records on every sprayer

Easily look up service parts on your sprayer with Graco PartsBook!



GET STARTED TODAY

Get BlueLink working for your business today. Download the BlueLink app now!



MARK HD STANDARD SERIES

EVERYDAY RELIABILITY



Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.



RELIABLE PUMP

Endurance Chromex Piston Pump

- Lasts 2X longer
- Long-life ceramic and stainless steel balls included for maximum versatility
- Faster cleaning with the QuikAccess intake foot valve

LESS PACK-OUT, MORE PRODUCTIVITY

MaxFlo 2 with Protection

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Protection for more productivity
- Optimised fluid passageways for the heaviest coatings

PRECISION PRESSURE CONTROL

SmartControl 4.0 with ProGuard Protection System

- Lowest dead band at any pressure delivers a consistent spray fan without pressure fluctuation
- Prevents electrical damage from extreme jobsite power conditions
- WatchDog Pump Protection System automatically prevents pump damage if the material supply is too low



FAST CLEANING NOW EVEN FASTER

FastFlush 2 System

- Clean the pump 6X faster using 1/2 the water
- High-velocity fluid flow delivered with 60% higher motor speed

GET MORE WORK DONE

Worry-Free MaxPower Motor

- Proven performance for all painting applications
- High-torque brushless design
- Use longer cords, regardless of voltage fluctuations

THE LONGEST LASTING DRIVE

Precision Advantage Drive™

- Improved jobsite conditions with extremely quiet operation

Ready to Work: complete with texture gun, 3/8 in x 15 m Blue Max™ II hose, whip hose, and RAC X™ SwitchTip™



STREAMLINE YOUR BUSINESS

BlueLink Job and Sprayer Management System

MARK STANDARD SERIES	PART #
Mark V HD	17E657

MARK HD PROCONTRACTOR™ SERIES

WORK SMARTER, FINISH MORE JOBS



Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



LONGER PUMP LIFE

Endurance Vortex MaxLife Piston Pump

Breakthrough Vortex Rotating Piston Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate piston for even wear
- Go 6X longer between repacks with innovative MaxLife coating
- Longest-life packings and piston rod
- Long Life ceramic and stainless steel balls included for maximum versatility

ELIMINATE COSTLY DOWNTIME

ProConnect 2 Pump Replacement System

- Swap your pump in less than 1 minute—no tools, pins or parts to lose

IMPROVED FILTRATION

Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow

EASY HOSE MANAGEMENT

QuikReel™ Hose Management System

- Deploy and rewind up to 90 m of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need—the rest stays on the reel



Mark HD ProContractor Series sprayers also include all Standard Series features:

- BlueLink Job and Sprayer Management System
- SmartControl 4.0 with ProGuard
- MaxFlo 2 with Protection
- FastFlush 2
- WatchDog Pump Protection System
- Easy Out Pump Filter
- Precision Advantage Drive
- MaxPower Motor
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design



Ready to Work: complete with texture gun, 3/8 in x 15 m Blue Max II hose, whip hose, and RAC X SwitchTip

STREAMLINE YOUR BUSINESS

BlueLink Job and Sprayer Management System

MARK PROCONTRACTOR SERIES	PART #
Mark V HD	17E663

MARK HD IRONMAN SERIES

BEYOND JOBSITE TOUGH



IronMan Series electric sprayers are built to routinely handle the rugged demands of large commercial and industrial jobs—day in and day out.



THE LONGEST DURABILITY AND LIFE

Endurance Vortex MaxLife Extreme Piston Pump

Breakthrough Vortex Rotating Piston Technology Keeps You Spraying:

- Longest life packings and piston rod
- 3X pump rod life
- Maximum versatility no matter what you're spraying
- Long-life ceramic and stainless steel balls included for maximum versatility



ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

- Swap your pump in less than 1 minute — no tools, pins, or parts to lose



NEVER HAVE A FLAT AGAIN

Flat Proof Tires

- No tyre puncturing from nails, screws, or other sharp debris



STREAMLINE YOUR BUSINESS

BlueLink Job and Sprayer Management System



Ready to Work: complete with texture gun, 9.5 mm x 7.6 m Blue Max II hose, whip hose, and RAC X SwitchTip

Mark HD IronMan Series sprayers also include all Standard Series features:

- BlueLink Job and Sprayer Management System
- SmartControl 4.0 with ProGuard
- FastFlush 2
- MaxFlo 2 with Protection
- Watchdog Pump Protection System
- Easy Out Pump Filter
- Precision Advantage Drive
- MaxPower Motor
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design

MARK IRONMAN SERIES	PART #
Mark V HD	17E629

GMAX II HD STANDARD SERIES

EVERYDAY RELIABILITY



Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.



RELIABLE PUMP

Endurance Chromex Piston Pump

- Lasts 2X longer
- Long-life ceramic and stainless steel balls included for maximum versatility
- Faster cleaning with the QuikAccess intake foot valve

LESS, MORE PRODUCTIVITY

MaxFlo 2 with Protection

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Protection for more productivity
- Optimised fluid passageways for the heaviest coatings

CONSISTENT SPRAY FAN AND PRESSURE CONTROL

SmartControl 3.0

- Ideal for low overspray applications with the lowest dead band at any pressure

LONG LASTING DRIVE

Precision Advantage Drive

- Durable, long lasting drive

EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

- Easier filter cleaning and less mess with fewer tip clogs ensure a quality finish

RUGGED AND EASY TO MOVE

Durable Cart Design

- Withstands tough jobsite conditions while absorbing impacts and vibrations
- Easy hose storage with integrated hose wrap and telescoping handle
- Easy loading with built-in lift handles

RELIABLE, POWERFUL, AND EASY TO START

Honda GX Engine

- Oil Alert shuts down engine to prevent damage if oil level drops too low



Ready to Work: Complete with texture gun, 9.5 mm x 7.6 m Blue Max II hose, whip hose, and RAC X SwitchTip

All GMAX II 7900 HD sprayers feature Graco's MaxLife Pump:

- Lasts 6X longer between repacks
- Features exclusive hardened MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop

GMAX II HD STANDARD SERIES	PART #
GMAX II 5900 HD Lo-Boy	17E829
GMAX II 5900 HD Hi-Boy	17E831
GMAX II 7900 HD	17E836

GMAX II HD PROCONTRACTOR SERIES

WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



LONGER PUMP LIFE

MaxLife Endurance Vortex Piston Pump

- Oversized passages for high velocity flow to rotate piston for even wear
- Go 6X longer between repacks with innovative MaxLife coating
- Longest life packings and piston rod
- Long-life ceramic and stainless steel balls included for maximum versatility

ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

- Swap your pump in less than 1 minute — with no tools, pins, or parts to lose

PREVENT PUMP DAMAGE

WatchDog Pump Protection System

- Prevents dry pumping damage
- Automatically shuts pump down when paint runs out or if hose is damaged

GMAX II HD ProContractor Series sprayers also include all Standard Series features:

- MaxFlo 2 with Protection
- SmartControl 3.0
- Easy Out Filter Manifold
- Precision Advantage Drive
- Honda GX Engine
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design

EASY HOSE MANAGEMENT

QuikReel Hose Management System

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need — the rest stays on the reel

QUICK REFERENCE

LED Display

Easy-to-read display shows:

- Pressure readout
- Job/lifetime/gallon counter
- Self-diagnostics



Ready to Work: complete with texture gun, 9.5 mm x 7.6 m Blue Max II hose, whip hose, and RAC X SwitchTip

GMAX II HD PROCONTRACTOR SERIES	PART #
GMAX II 5900 HD	17E832
GMAX II 7900 HD	17E837

GMAX II HD IRONMAN SERIES

BEYOND JOBSITE TOUGH



IronMan Series sprayers are designed and built to handle the most brutal and demanding conditions—typically found on large commercial and industrial jobsites.



THE LONGEST DURABILITY AND LIFE

MaxLife Extreme Endurance Vortex Piston Pump

Breakthrough Vortex Rotating Piston Technology:

- Oversized passages for high-velocity flow to rotate piston for even wear
- 3X pump rod life
- Longest life packings and piston rod
- Maximum versatility no matter what you're spraying
- Long-life ceramic and stainless steel balls included for maximum versatility

ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

- Swap your pump in less than 1 minute — no tools, pins, or parts to lose

NEVER HAVE A FLAT AGAIN

Flat Proof Tires

- No tyre puncturing from nails, screws or other sharp debris

PREVENT PUMP DAMAGE

WatchDog Pump Protection System


- Automatically shuts pump down when paint runs out or if hose is damaged

QUICK REFERENCE

LED Display

Easy-to-read display shows:

- Pressure readout
- Job/lifetime/gallon counter
- Self-diagnostics



GMAX II HD IronMan Series sprayers also include all Standard Series features:

- MaxFlo 2 with Protection
- SmartControl 3.0
- Easy Out Filter Manifold
- Precision Advantage Drive
- Honda GX Engine
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design



Ready to Work: complete with texture gun, 9.5 mm x 7.6 m Blue Max II hose, whip hose, and RAC X SwitchTip

TEXSPRAY HD IRONMAN SERIES	PART #
GMAX II 7900 HD	17E838

DUTYMAX™ HD STANDARD SERIES

EVERYDAY RELIABILITY



Graco's Standard Series of DutyMax HD hydraulic direct-immersion sprayers delivers durability and performance while easily handling the widest range of tip sizes, longer hose lengths and heavier coatings.



RELIABLE PUMP

Endurance Pump

- Lasts 2X longer
- Better spraying performance and fast cleaning
- Long-life ceramic and stainless steel balls included for maximum versatility

EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

- Large filtering area for easier cleaning and fewer tip clogs ensure a quality finish
- Won't collapse or get stuck with inside out filtering process

INDOOR AND OUTDOOR USE

Honda GX Engine

- Quickly swap the gas engine for an electric motor in seconds—without tools!
- Available on DutyMax GH 230Di Convertible

REDUCED DOWNTIME

High-Capacity Cooling System

- Innovative design allows the pump to run cooler and more efficiently with extremely quiet operation
- Easier and more thorough fluid changes
- Reservoir cooling fins deflect more heat

MAINTENANCE-FREE HIGH-PRESSURE DUMPING CAPABILITY

Heavy-Duty Prime Valve

FINISH JOBS FASTER

High-Efficiency Hydraulic Motor

- Fast, responsive changeover
- Less maintenance and longer life with fewer moving parts
- 100% O-ring sealed fittings prevent leaks

RUGGED AND EASY TO MANOEUVRE

Durable Cart Design

- Withstands the tough jobsite conditions while absorbing impacts and vibrations
- Retractable handle doubles as coiled hose storage



Ready to Work: complete with texture gun, 9.5mm x 7.6 m Blue Max II hose, whip hose, and RAC X SwitchTip

DUTYMAX HD STANDARD SERIES	PART #
DutyMax GH 230 HD Convertible	24W929
DutyMax GH 300 HD	24W935

DUTYMAX HD PROCONTRACTOR SERIES

WORK SMARTER, FINISH MORE JOBS



With features that enable you to work more efficiently, the ProContractor Series of DutyMax hydraulic airless sprayers delivers high speed and performance to help you get to the next job faster, saving you time and money.



EXTREME-DUTY MAXLIFE PUMP

Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- Lasts 6X longer between repacks
- Exclusive MaxLife Sleeve
- Oversized clearances ensure minimal pressure drop and increased performance
- Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying

EASY HOSE MANAGEMENT

QuikReel Hose Management System

- Deploy and rewind up to 90 mt of hose in seconds
- No twisting, kinking, or coiling

IMPROVED FILTRATION

Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow

ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

- Swap your pump in less than 1 minute — no tools, pins or parts to lose
- Eliminates costly jobsite downtime

DutyMax ProContractor Series sprayers also include all Standard Series features:

- Easy Out Filter Manifold
- High-Efficiency Hydraulic Motor
- Heavy-Duty Prime Valve
- Rugged, Durable Cart Design
- High-Capacity Cooling System



Ready to Work: complete with texture gun, 9.5mm x 7.6 m Blue Max II hose, whip hose, and RACX SwitchTip



DUTYMAX HD PROCONTRACTOR SERIES	PART #
DutyMax GH 230 HD Convertible	24W932
DutyMax GH 300 HD	24W936

PRO SURFACE

PROFESSIONAL SMOOTHING BLADE

Introducing Graco's complete line of Professional Smoothing Blades. Designed for Drywall and Plaster Finishing, these blades deliver a fast, glass-like finish with minimal material waste or sanding. Experience the most comfortable way to finish for yourself!

THE FASTEST & MOST PRODUCTIVE WAY TO FINISH. PERIOD.

BENEFITS YOU'LL APPRECIATE!

- Bi-Flex Blade Technology keeps the material on the work surface, and off the blade — minimising waste and cleaning
- Precision stainless steel blade delivers the smoothest finish — significantly reducing sanding
- Ergonomic design requires less effort than standard knives resulting in less fatigue and greater productivity
- Contractor-preferred composite blade handles are lighter and more comfortable than alternative metal designs



EVERYTHING YOU NEED FOR A SUPERIOR FINISH



- Multiple sizes and extension pole to finish every surface — no matter how big or small
- Durable composite hardcase for easy transport and protection of tools
- Available in convenient Multi-Tool kit (shown) or individually

INTRODUCING BI-FLEX BLADE TECHNOLOGY

A precise fulcrum point is designed into the handle grip area

Bi-Flex Stainless Steel blade flexes, providing more pressure and finishing area

Up to 10X more contact area with the surface for a superior finish & even blade wear




DESIGNED TO PERFORM. BUILT TO LAST.



EXTENDABLE EXTENSION POLES

- Aluminium and composite construction for light weight and maximum durability
- Extendable design with swivel head to reach anywhere — eliminating the need for ladders
- Attaches to blades in seconds with no-tools
- 2 sizes to choose from: 50-100 cm or 100-200 cm



Simply align pole with Graco logo for balanced operation

SMOOTHING BLADES WITH BI-FLEX TECHNOLOGY

- Precision German stainless steel blade for unmatched surface finish quality
- Rounded edges for perfect smoothing — without build-up
- Light weight composite handle for all-day comfort
- 7 sizes to choose from

PROFESSIONAL SMOOTHING BLADE	PART #
ProSurface™ Smoothing Tool Kit (Contains 25 cm, 35 cm, 45 cm, 60 cm & 80 cm Blades, 100 cm Extension Pole; Carry Case)	18C677
ProSurface™ Plasterboard Tool Kit (Contains 25 cm, 35 cm, 45 cm, 60 cm in Blades, 10 & 15 cm Joint Knives, 100 cm Extension Pole; Carry Case)	18C676



JOINT KNIVES

- Aluminium and Steel construction for maximum durability
- Precision stainless steel blade for the smoothest finish
- Over-Moulded non-slip grip for comfort and control
- 2 sizes to choose from: 10 cm & 15 cm



Integrated #2 Phillips Head screwdriver fits Common plasterboard screws - perfect for setting screws (15 cm knife only)

Learn more at Graco.com/ProSurface

POWERFILL 3.5

CORDLESS LOADING PUMP


Introducing the industry's first cordless, powered loading pump designed to fill all automatic taping and finishing tools. PowerFill totally eliminates the need to manually pump. Now you can quickly fill with just the push of a button—eliminating daily fatigue and long-term injury.

NEVER HAND-PUMP AGAIN

BENEFITS YOU'LL APPRECIATE

- Single-button pumping eliminates fatigue and injury associated with manual pumping
- Hi-Rise Fill Tube protects your back by eliminating bending
- Programmable to refill tools automatically with Precision Fill
- Up to 13 lpm for lightning-fast filling—all day, every day
- Lightweight, compact design is perfect for any location, even tight scissor-lifts
- Quickly converts to right or left hand use for maximum flexibility
- Pumps up to 200 L on a single battery charge

FILLS IT ALL AND MORE



- Flat and Angle Boxes
- Automatic Taper
- Nail Spotter
- Compound Tube
- Banjo
- Joint compound Tray
- Hawk
- Hopper Guns
- Buckets and Hoppers



SAVE YOUR BACK WITH THE HI-RISE FILL PORT



OLD WAY



BETTER WAY



- Ergonomic design eliminates bending—protecting your back
- Fully rotatable to position the outlet where you want it—such as over the bucket to catch drips

AUTOMATICALLY FILL WITH PRECISION FILL

- Fill your tools, pans or hawks to your preset level — with the push of a button
- Accuracy to within 7 grams for each fill—regardless of battery condition or pump speed
- Hands-free, continuous pumping mode is perfect to load or unload bulk containers and for easiest cleaning—just let it run!
- Increases overall job productivity so you can get more done!

PROGRAM IN 3 EASY STEPS



1 Press and hold Program Button until light flashes



2 Press Pump Button and fill to desired level



2 Press Program Button to save setting

INTRODUCING POWERSTROKE™ THE INDUSTRY'S LONGEST LIFE PUMP. PERIOD.




COMPACT DESIGN, NO-TOOLS CONVENIENCE

- Balanced, double-acting output for the smoothest material delivery and maximum efficiency
- Slim body design is 35% smaller diameter than manual pumps for easier cleaning and smaller "in-bucket" footprint
- ProConnect™ tool-less pump offers easy access to pump internal components
- 10 mesh filter offers 25% more filter area than manual pumps with no-tools removal

4X LIFE vs MANUAL PUMPS

- Anodised aluminium and stainless steel construction for unmatched life
- 4X life vs manual pumps



POWERFILL	PART #
Powerfill 3.5 Standard	26B442
Powerfill 3.5 Pro Series	26B443
Powerfill 3.5 XL Pro	26B444

TEXTURE ACCESSORIES

WORK FASTER AND MORE PRODUCTIVELY

From rugged guns and tips to hoses and hoppers, Graco's accessories let you customise your sprayer for maximum performance to help grow your business.



95-LITRE TEXTURE HOPPER

This versatile large-capacity hopper connects directly to all airless texture sprayers. It boosts your productivity by minimising material refills, and it's easy to attach and manoeuvre throughout the jobsite.



AIR ATOMISER KIT

Why limit what you can spray? The air atomiser kit attaches to the Heavy-Duty Texture Gun and the Flex Gun, allowing you to attach an air compressor to create decorative texture finishes such as orange peel, splatter, and knockdown.

TEXSPRAY RTX AND GTX SPRAYERS

	24S135	RTX 5000px and 5500px Air Spray Trigger Gun with Threaded Connection		
HOSES MISC	RTX Standard Replacement Hose			
	17J454	Blue Translucent Hose Kit: 19 mm x 7.6 m	17L004	Blue Translucent Hose Kit: 31.7 mm x 7.6 m
	17J420	Blue Translucent Hose Kit: 25.4 mm x 7.6 m	17L006	Blue Translucent Hose Kit: 31.7 mm x 10.7 m
	17J421	Blue Translucent Hose Kit: 25.4 mm x 15 m		
	RTX, GTX Heavy-Duty Hose			
	17L010	Blue Solid Heavy-Duty Hose Kit: 25.4 mm x 3 m Whip	17L005	Blue Translucent Hose Kit: 31.7 mm x 7.6 m
	17L000	Blue Solid Heavy-Duty Hose Kit: 25.4 mm x 7.6 m	17L009	Blue Translucent Hose Kit: 31.7 mm x 15 m
	287314	RotoFlex HD Pump Hose: for use with RTX 1500, RTX 5000pi, RTX 5000px, RTX 5500px		
	248515	Sponge Ball Clean-Out Kit: for 25 mm ID Hose, Qty 5		

TEXSPRAY T-MAX

APPLICATORS	Air-Assisted			
	17Z128	FreeFlo Inline Gun (Includes 4, 6, 8, 10 mm Nozzles)		
	24B945	Flex Head Pole Gun (Includes 1/3, 1/2, 9/16, 5/8, 11/16, 3/4 in Nozzles)		
	24B944	Rigid Pole Gun 3 ft (Includes 1/3, 1/2, 9/16, 5/8, 11/16, 3/4 in Nozzles)		
	Airless			
	17Y907	Heavy-Duty Inline Airless Gun (Includes 651 Tip)		
AIRLESS TIPS, FILTERS, GUARDS, AND EXTENSIONS	289922	18 Mesh with Scraper (for Lance 17Z054)	277789	Filter Scraper (for Lance 17Z054)
	289923	30 Mesh with Scraper (for Lance 17Z054)	15X791	Flow Through Filter Plug (for Lance 17Z054)
	LTX-XXX	RAC X Heavy-Duty Switch Tip	287020	15 in RAC X Tip Extension (4050 psi)
	246215	Guard RAC X with 7/8 in Threads	287021	20 in RAC X Tip Extension (4050 psi)
	287019	10 in RAC X Tip Extension (4050 psi)	287022	30 in RAC X Tip Extension (4050 psi)
HOSES	17Z187	1 in x 15 m Material Hose		
	17Z188	1 in x 30 m Material Hose		
	17Z500	3/4 in x 10 ft Solvent Resistant Hose		
	17Z151	100 ft Air Hose with STX Remote Wire		
	17Z148	50 ft Air Hose with STX Remote Wire		

NOZZLES	STX Air-Assist Texture Trigger Gun		Inline Lance	
	17Z563	4 mm	248888	3 mm
	17Z564	6 mm	248524	4 mm
	17Z565	8 mm	248525	6 mm
	17Z566	10 mm	248526	8 mm
	17Z567	12 mm	248527	10 mm
	Pole and Flex Head Air-Assist Gun Stainless Steel Nozzles		Pole and Flex Head Air-Assist Gun Stamped Steel Nozzles	
	16A444	Size 4 (1/4 in)	128459	3/8 in Orifice
	16A445	Size 5 (5/16 in)	128460	1/2 in Orifice
	16A446	Size 6 (3/8 in)	128461	9/16 in Orifice
	16A447	Size 7 (7/16 in)	128462	5/8 in Orifice
	16A448	Size 8 (1/2 in)	128463	11/16 in Orifice
			128464	3/4 in Orifice
	Pole and Flex Head Air-Assist Gun Nozzle Caps and Accessories			
16A421	Cap Nozzle Retainer Hard			
16A405	Cap Nozzle Retainer Medium			
16A426	Fine Finish Adapter			
MISC.	25M530	ToughTek® CM 20 Continuous Flow Mixer (120 Volt)		
	248515	Sponge Ball Cleanout Kit for 1 in Hose (Qty 5)		
	17Y905	Prime Valve Kit		
	25E693	55 Gallon Suction Set (Includes Suction Set and Qd Foot Valve)		
	25E692	5 Gallon Cleaning Suction Set		
	17Z571	HTX 2030 STX Conversion Kit with 50 ft Hose (Includes: STX Gun, Material Hose, Air Hose w/Remote Wire, Nozzles, Air Manifold, Fittings)		
	17Z572	HTX 2030 STX Conversion Kit with 100 ft Hose (Includes: STX Gun, Material Hose, Air Hose w/Remote Wire, Nozzles, Air Manifold, Fittings)		
	620223	Pump Clamp		
	17Z556	Steel Ball Kit (Inlet and Outlet Ball Qty 1 Each)		
	17Z648	Standard Ceramic Ball Kit (Inlet and Outlet Qty 1 Each)		
	17Z640	Heavy-Duty Ceramic Ball Kit (Inlet and Outlet Qty 1 Each)		
	15R609	Hopper Inlet Replacement Grommet		
	17Z224	50 Pack of Hose Lubricant to Reduce Packout		
	19A646	Hopper Scraper		
	16W601	Female x Female QD Hose Coupling for Clearing Packouts		
	17Z183	95 L Hopper Module (Includes Hopper, Frame, Wheels)		

NOZZLE SELECTION GUIDE

NOZZLE SIZE	3 MM	4 MM	5 MM	6 MM	8 MM	9.5 MM	10 MM	11 MM	13 MM	14 MM
INTERIOR SMOOTH MATERIAL	Fine Finish Orange Peel/Fog	Fine Finish Orange Peel/Fog	Orange Peel, Small Splatter	Orange Peel, Small Splatter	Splatter, Small to Medium Knockdown	Acoustics/Popcorn, Splatter, Medium Knockdown	Acoustics/Popcorn, Large Knockdown	Acoustics/Popcorn, Large Knockdown	Acoustics/Popcorn, Large Knockdown	Acoustics/Popcorn, Large Knockdown
EXTERIOR AGGREGATE MATERIAL	up to 1.0 mm (maximum)	up to 1.25 mm (maximum)	up to 1.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)	up to 2.5 mm (maximum)

*Nozzle size requirement could vary based on material viscosity, desired finish, production rate, and air settings.

MARK HD, GMAX II HD, DUTYMAX HD SPRAYERS

GUNS	246468	Flex Plus Gun	241705	Heavy-Duty Blue Texture Gun	245820	Inline Heavy-Duty Texture Gun	
	241338	Heavy-Duty Blue Texture Gun Hose Kit with RAC X LTX 531 SwitchTip 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi Hose, 1/4 in x 3 ft (6.4 mm x 0.9 m) 3300 psi Whip Hose, Couplers, and additional RAC X LTX 427 SwitchTip					
HOSE KITS	287987	95 Litre Texture Hopper directly connects to Mark V HD, GMAX II 5900 HD, GMAX II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD					
	243380	Cam-Lock Hose Adapter Connects the Texture Hopper to the GMAX II 7900 HD, HTX 2030 Sprayers					
HOPPER	244052	Heavy-Duty Texture Gun Air Atomiser Kit with Air Hose (minimum air compressor rating of 15 cfm at 90 psi)					
	244223	Heavy-Duty Texture Gun Air Atomiser Kit without Air Hose (minimum air compressor rating of 15 cfm at 90 psi)					
	289669	95 Litre Siphon Kit for GMAX II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD					
MISC	244052	Heavy-Duty Texture Gun Air Atomiser Kit with Air Hose (minimum air compressor rating of 15 cfm at 90 psi)					
	244223	Heavy-Duty Texture Gun Air Atomiser Kit without Air Hose (minimum air compressor rating of 15 cfm at 90 psi)					
	289669	95 Litre Siphon Kit for GMAX II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD					

HTX 2030 COMPLETE, HTX 2030 COMPLETE PLUS+ SPRAYERS

GUNS AND NOZZLES	24B327	FreeFlo Inline Gun with 4, 6, 8, 10 mm Nozzles, 18 and 30 Mesh Filters, RAC X LTX 671 Tip and Guard						
	24B944	Pole Gun 1 m with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter						
	24B945	Flex Head Gun with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter						
	241705	Heavy-Duty Blue Texture Gun						
	24R054	HTX 2030 Trigger Gun Applicator						
	FreeFlo Inline Gun							
	287227	Fine Finish Kit includes 3 mm, 6 mm, 8 mm, 9.5 mm Spray Discs, Retaining Nut, and Adapter						
	248888	3 mm Nozzle	248525	6 mm Nozzle	248527	10 mm Nozzle		
	248524	4 mm Nozzle	248526	8 mm Nozzle				
	Pole And Flex Head Pole Guns							
	16A443	5 mm Nozzle	16A446	9.5 mm Nozzle	16A449	14 mm Nozzle	16A246	Fine Finish Adapter
	16A444	6 mm Nozzle	16A447	11 mm Nozzle	16A405	Cap, Nozzle – Medium		
	16A445	8 mm Nozzle	16A448	13 mm Nozzle	16A421	Cap, Nozzle – Hard		
	HOSE KITS	24B326	19mm x 30m Extension Hose (no remote switch)					
		24B300	19 mm x 15 m Fluid Hose With Remote On/Off Switch					
PUMP KIT	24B140	MaxLife Endurance High Pressure Pump Kit includes High-Pressure Lower, Heavy-Duty Texture Gun, Hose 9.5 mm x 15 m, 6.4 mm x 0.9 m 3300 psi Whip Hose, and RAC X LTX 643 SwitchTip						
MISC	287987	200 Litre Texture Hopper						
	243380	Cam-Lock Hose Adapter connects Texture Hopper to the HTX 2030 High-Output Texture Pump						
	24C414	Ball Valve Material Shutoff Kit						

TEXSPRAY FASTFINISH SPRAYERS

GUN HOSE	25D496	FastFinish Pressure-Boosted Hopper Gun	17V694	Nozzle Kit (4 mm, 6 mm, 8 mm) (FastFinish and G-TEX Guns only)			
	25D497	G-TEX Metal Bodied Gravity-Feed Hopper Gun	26A563	Non-marking Air Hose			
	17V692	WideTex Kit (w/ adapter, 4 mm, 6 mm, 8 mm W tips) (FastFinish and G-TEX Guns only)	245924	Plastic-Bodied Gravity-Feed Hopper Gun			

BLADES	PART #
15 cm Smoothing Blade (perfect for small areas or wipe-down after taping)	18C682
25 cm Smoothing Blade (perfect for small areas or wipe-down after taping)	18C683
35 cm Smoothing Blade (perfect for following finishing boxes)	18C684
45 cm Smoothing Blade (perfect for finishing wide joints or large wall surfaces)	18C685
60 cm Smoothing Blade (perfect for finishing wide joints or large wall surfaces)	18C686
80 cm Smoothing Blade (perfect for finishing wide joints or large wall surfaces)	18C687
100 cm Smoothing Blade (perfect for large wall and ceiling surfaces))	18C688
KNIVES	PART #
10 cm Joint Knife	18C680
15 cm Joint Knife	18C681
EXTENSION POLES	PART #
50-100 cm Extendable Extension Pole (fits all blades)	18C678
100-200 cm Extendable Extension Pole (fits all blades)	18C679

POWER-FILL	PART #
35 cm Hi-Rise Fill Tube Kit (Contains: Hi-Rise Fill Tube w/Box Filler, Outlet Elbow)	18D159
58 cm Hi-Rise Fill Tube Kit (Contains: Hi-Rise Fill Tube w/Box Filler, Outlet Elbow)	18D160
Taper Gooseneck Fill Tube (20L) (Requires Outlet Elbow)	18D086
XL Taper Gooseneck (110L) (Requires Outlet Elbow)	18D103
Outlet Elbow (For use with Hi-Rise Fill Tubes and Gooseneck)	18D163
35 cm Hi-Rise Fill Tube (Requires Outlet Elbow) (Contains: Hi-Rise Fill Tube w/Box Filler)	18D164
58 cm Hi-Rise Fill Tube (Requires Outlet Elbow) (Contains: Hi-Rise Fill Tube w/Box Filler)	18D165
110L XL Conversion Kit (Converts Pump to 110L XL) (Contains: Pump Rod with Upper Piston, XL Pump Cylinder Body, XL Adjustable Foot)	18D166
Cleaning Hose Flush Kit (Contains: Outlet Fitting, Hose, (2) Cleaning Balls)	18D167
Horizontal Fill Outlet (Contains: Horizontal Fill Outlet, Box Filler)	18D168
Box Filler (Fits Horizontal Fill Outlet or Hi-Rise Fill Tube)	18D169
Sponge Ball Clean Out Kit (QTY 5-1")	248515
Inlet Filter, 10 Mesh	18D170
DeWALT 16V MAX XR Lithium Ion Charger	17P561
DeWALT 16V MAX XR Lithium Ion Battery	17P558





		TexSpray RTX 2500PI	TexSpray RTX 5500PX 240 V	APX 8200	TexSpray FastFinish
MODEL	Part Number	17V582	17H578	17N354 (230V)	FastFinish Pro: Complete System 25D493 FastFinish Standard: Complete System 25D495 FastFinish CF9 Air Compressor Only: 25D491 FastFinish Pressure-Boosted Gun Only: 25D496 G-TEX Gravity-Feed Gun Only: 25D497
	Max pressure psi	100	100	3000	N/A
PERFORMANCE	Max flow HP lpm	9.5	21	8.0	N/A
	Motor	1.7 HP	2.0 HP	4.0 HP	2.0
COMPRESSOR	Compressor Air Output	6.1 cfm at 20 psi .17 m³/min	9.1 cfm at 20 psi .26 m³/min	N/A	9.0 cfm at 40 psi .25 m³/min
INCLUDES	Gun	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Inline HD Texture Gun	FastFinish Pressure Boosted (Pro Model) G-TEX Gravity-Feed (Standard Model)
	Hose	25.4 mm x 7.6 m	32 mm x 7.6 m HD	15m x 5/8" BlueMax™ II hose + 3.5 m x 3/8" whip hose	3/8 in x 50 ft Non-Marking Air Hose (Standard and Pro Models)
	Max Hose Length	23 m	30 m	30 m	46 m
	Tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with Hardened 4 mm 6 mm, 8 mm, 10 mm, 12 mm XL W tips	.045"	4 mm, 6 mm, 8 mm nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm tips
DIMENSIONS	Weight kg	32.6	73.9	78	Air Compressor: 27 FastFinish Gun: 2.2 G-TEX Gun: 1.9
	Hopper litre	57	57	94.6	5.7
TYPICAL APPLICATIONS	Materials Sprayed	Simulated acoustic and joint compound	Simulated acoustic, joint compound, elastomerics, deck coatings, and some cement-based materials	Water-based materials, wall smoothing and finishing	Acoustics, acrylics, joint compound, elastomeric, deck coatings, fireproofing, waterproofing, cement-based materials
	Surfaces	Residential and light commercial interiors	Residential and commercial exteriors	Residential and commercial interiors	Residential and commercial interiors and exteriors



TexSpray T-MAX 6912

SPECIFICATIONS	Maximum Tip Size	0.071
	Maximum pressure psi	1000
	Maximum flow lpm	12
	Motor/Engine	2.0 HP Brushless DC
	Voltage	230V

TYPE		15 m Air-Assisted w/STX Gun and Hopper	30 m Air-Assisted w/STX Gun and Hopper	30 m Air-Assisted w/STX Gun, Mixer and Hopper
MODEL	Part Number	17X987	17X994	17Z789
INCLUDES	T-MAX 6912 Pump Module			
	Hopper	95 L	95 L	95 L
	Gun	STX Air-Assist Texture Trigger Gun	STX Air-Assist Texture Trigger Gun	STX Air-Assist Texture Trigger Gun
	Hoses	1 in x 15 m Material Hose 3/4 in x 3 m Whip Hose	1 in x 30 m Material Hose 3/4 in x 3 m Whip Hose	1 in x 30 m Material Hose 3/4 in x 3 m Whip Hose
	Round Nozzles	4 mm, 6 mm, 8 mm, 10 mm, 12 mm	4 mm, 6 mm, 8 mm, 10 mm, 12 mm	4 mm, 6 mm, 8 mm, 10 mm, 12 mm
	Tip(s)	WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips	WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips	WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips
	Misc.	-	-	CM20 Continuous Mixer



TexSpray HTX 2030 Complete

MODEL	Part Number	257369
SPRAYER CONFIGURATIONS	For Spraying	For exterior aggregate and smooth finishes as well as common interior texture finishes, such as orange peel, splatter, knockdown, and simulated acoustic
	INCLUDES:	
	High-Output Piston Texture Pump	
	Texture Gun and 19 mm Hose	<ul style="list-style-type: none"> STX Trigger Gun and 15 m hose (26C681) STX Trigger Gun and 30 m hose (26C682) FreeFlo Inline Gun and 15 m hose (258740)
	20 L Suction Set	
	Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in, and 3/8 in Nozzles	
	4, 6, 8, 10 mm Nozzles	
	RAC X LTX 671 Airless Tip	
	MaxLife Endurance High Pressure Airless Pump	Optional (Pump Kit 24B140)
	TECHNICAL SPECIFICATIONS	Maximum Tip Size
Maximum lpm		11
Maximum bar		70
Honda Engine cc (HP at 3600 RPM)		6.5
Compressor		User-supplied air compressor required for some texture finishes. Minimum air compressor rating 708 lpm at 90 psifor best results
Weight kg		1000
Intake		QuikAccess
Rod		Hard Chrome
Sleeve		Hard Chrome
Packings		HD Poly

Mark V HD

SPECIFICATIONS	Maximum Tip Size	0.039
	Maximum pressure psi	3300
	Maximum flow lpm	5.1
	Motor/Engine HP	MaxPower 2.8 Brushless DC
	Control	SmartControl 3.0
	Weight kg	61
	Compressor Air Output	Compressor and Air Atomiser Kit required for some texture finishes



SERIES TYPE		STANDARD	PROCONTRACTOR	IRONMAN
MODEL	Part Number	17E657	17E663	17E629
	INCLUDES			
INCLUDES	BlueLink			
	Gun	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture
	Hose	9.5 mm x 15 m BlueMax II Airless Hose	9.5 mm x 15 m BlueMax II Airless Hose	9.5 mm x 15 m BlueMax II Airless Hose
	Tip(s)	RAC X LTX 427 and 531	RAC X LTX 427 and 531	RAC X LTX 427 and 531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect 2	ProConnect 2
	Rod	Chromex	MaxLife w/ Vortex	MaxLife Extreme w/ Vortex
	Sleeve	Hardened SST	MaxLife	MaxLife
	MaxFlo 2			
ADDITIONAL SERIES FEATURES		-	QuikReel	-
		FastFlush 2	FastFlush 2	FastFlush 2
		-	-	Flat Proof Tires
		WatchDog	WatchDog	WatchDog
		-	Crushproof Inlet Strainer	Crushproof Inlet Strainer
MANUAL	Operation	3A6342	3A6342	3A6342
	Parts	3A6342	3A6342	3A6342
TYPICAL APPLICATIONS	Materials Sprayed	Oil and water-based coatings, enamels, block-fillers, elastomerics, epoxies, joint compound, and other high-build materials	Oil and water-based coatings, enamels, block-fillers, elastomerics, epoxies, joint compound, and other high-build materials	Oil and water-based coatings, enamels, block-fillers, elastomerics, epoxies, joint compound, other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors

GMAX II 5900 HD

SPECIFICATIONS	Maximum Tip Size	0.043
	Maximum pressure psi	3300
	Maximum flow lpm	6.0
	Motor/Engine HP	Honda 200 cc (6.5)
	Control	SmartControl 3.0
	Weight kg	67
	Compressor Air Output	Compressor and Air Atomiser Kit required for some texture finishes



GMAX II 7900 HD

SPECIFICATIONS	Maximum Tip Size	0.048
	Maximum pressure psi	3300
	Maximum flow lpm	8.3
	Motor/Engine HP	Honda 200 cc (6.5)
	Control	SmartControl 3.0
	Weight kg	72
	Compressor Air Output	Compressor and Air Atomiser Kit required for some texture finishes



SERIES TYPE		STANDARD	PROCONTRACTOR
MODEL	Part Number	17E839	17E840
	INCLUDES		
INCLUDES	Gun	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture
	Hose	9.5 mm x 15 m BlueMax II Airless Hose	9.5 mm x 15 m BlueMax II Airless Hose
	Tip(s)	RAC X LTX 427 and 531	RAC X LTX 427 and 531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect 2
	Rod	Chromex	MaxLife w/Vortex
	Sleeve	Hardened SST	MaxLife
	MaxFlo 2		
	QuickReel		
	Crushproof Inlet Strainer		
	LED Display		
	WatchDog		
	Flat Proof Tires		
TYPICAL APPLICATIONS	Materials Sprayed	Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, joint compound, other high-build materials	Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, joint compound, other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

STANDARD	PROCONTRACTOR	IRONMAN
17E841	17E842	17E843
Heavy-Duty Blue Texture	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture
9.5 mm x 15 m BlueMax II Airless Hose	9.5 mm x 15 m BlueMax II Airless Hose	9.5 mm x 15 m BlueMax II Airless Hose
RAC X LTX 427 and 531	RAC X LTX 427 and 531	RAC X LTX 427 and 531
60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
QuikChange System	ProConnect 2	ProConnect 2
MaxLife	MaxLife w/Vortex	MaxLife Extreme w/Vortex
MaxLife	MaxLife	MaxLife
Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, joint compound, other high-build materials	Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, joint compound, other high-build materials	Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, plasterboard mud, other high-build materials
Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors

DutyMax GH 230 HD Convertible

DutyMax GH 300 HD

SPECIFICATIONS	Maximum Tip Size	0.053
	Maximum pressure psi	3300
	Maximum flow lpm	8.9 Gas Engine / 4.2 Electric Motor
	Motor/Engine HP	Honda 200 cc (6.5)
	Control	–
	Weight kg	92
	Compressor Air Output	Compressor and Air Atomiser Kit required for some texture finishes

	0.057
	3300
	11.4
	Honda 270 cc (9.0)
	–
	99
	Compressor and Air Atomiser Kit required for some texture finishes



SERIES TYPE		STANDARD	PROCONTRACTOR
MODEL	Part Number	24W943	24W962
	INCLUDES		
INCLUDES	Gun	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture
	Hose	9.5 mm x 15 m BlueMax II Airless Hose 6.4 mm x 0.9 m BlueMax II Whip Hose	9.5 mm x 30 m BlueMax II Airless Hose 6.4 mm x 0.9 m BlueMax II Whip Hose
	Tip(s)	RAC X LTX 427 and 531	RAC X LTX 427 and 531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect 2
	Rod	Hard Chrome	Hard Chrome
	Sleeve	Hardened SST	MaxLife
	MaxFlo		
	QuickReel		
	Crushproof inlet Strainer		
TYPICAL APPLICATIONS	Materials Sprayed	Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, joint compound, and other high-build materials	Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, joint compound, and other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

SERIES TYPE		STANDARD	PROCONTRACTOR
MODEL	Part Number	24W967	24W968
	INCLUDES		
INCLUDES	Gun	Inline Heavy-Duty Texture	Inline Heavy-Duty Texture
	Hose	13 mm x 15 m BlueMax II Airless Hose 9.5 mm x 3.7 m BlueMax II Whip Hose	13 mm x 30 m BlueMax II Airless Hose 9.5 mm x 3.7 m BlueMax II Whip Hose
	Tip(s)	RAC X LTX 643 and WideRAC 1239	RAC X LTX 643 and WideRAC 1239
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect 2
	Rod	Hard Chrome	Hard Chrome
	Sleeve	Hardened SST	MaxLife
	MaxFlo		
	QuickReel		
	Crushproof inlet Strainer		
TYPICAL APPLICATIONS	Materials Sprayed	Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, joint compound, and other high-build materials	Oil and water-based coatings, enamels, block-fillers, elastomers, epoxies, joint compound, and other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors



		POWERFILL 3.5 STANDARD SERIES	POWERFILL 3.5 PRO SERIES	POWERFILL 3.5 XL PRO SERIES
SPECIFICATIONS	Part Number	26B442	26B443	26B444
	Max flow lpm	13.2	13.2	13.2
	Weight Kg	6.8	7.7	9.1
	Pump	PowerStroke	PowerStroke	PowerStroke
	Power/Battery	(1) DeWALT 20V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger	(1) DeWALT 20V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger	(1) DeWALT 20V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger
	Pump Outlet	Fixed Horizontal w/Box Filler	Hi-Rise Fill Tube w/Box Filler	Hi-Rise Fill Tube w/Box Filler
	Precision Fill	No	Yes	Yes
	Inlet Filter	Tool-less, 10 Mesh (1)	Tool-less, 10 Mesh (1)	Tool-less, 10 Mesh (1)
	Adjustable Flow	Yes	Yes	Yes
Fits Container	Adjustable up to 20 L (18-38 cm Bucket Height Range)	Adjustable up to 20 L (18-38 cm Bucket Height Range)	Adjustable up to 20 L thru 100 L (18-70 cm Bucket Range)	

*With respect to 20v MAX, maximum initial battery voltage (measured without workload), is 20 volts. Nominal is 18 volts.





ABOUT GRACO

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coatings, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

AUSTRALIA
Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599
NZ Toll Free Number: 0800 472 261

344382ENAP-E©2021 Graco Australia 07/21. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks